

GEN 3 SERIES

SG Range

Hotwash Reels

Gen 3 hotwash reels are specifically designed as the perfect solution for hot water washdown applications in food preparation areas. The blue food grade hose is acceptable for food processing areas for hot or cold water washdown. The stain and chemical resistant engineered composite construction allow the reel to be easily washed and hygienically cleaned as and when required.

Food Gas Reels

Food gas reels are designed for use in wineries to dispense CO₂ and or Nitrogen gases to blanket the vats and tanks during transfer, storage, fermentation and other processes. Also suited to other food processing industries that require inert gas transfer.


Pesticide Reels

The Gen 3 chemical series offers a lightweight corrosion proof solution for the dispensing of herbicides and pesticides.



MODELS with hose	I.D.		LENGTH		PRESSURE		CONNECTION		WEIGHT kg
	mm	inch	m	ft	Bar	PSI	inlet	outlet	
Hotwash									
HW1015-001	10	3/8	15	50	17	240	3/8	3/8	10
HW1020-001	10	3/8	20	66	17	240	3/8	3/8	12
HW1215-001	12	1/2	15	50	17	240	1/2	1/2	12
Food Gases									
FD820-001	8	5/16	20	66	17	240	3/8	3/8	12
FD1020-001	10	3/8	20	66	17	240	3/8	3/8	12
Chemicals									
WP1015-001	10	3/8	15	50	17	240	3/8	3/8	12
WP1215-001	12	1/2	15	50	17	240	3/8	3/8	12
WP1020-001	10	3/8	20	66	17	240	3/8	3/8	12
DIMENSIONS SG RANGE W 239 mm L 559 mm H 490 mm									

See page 30 for pressure wash reels



GEN 3 SERIES

SG Range



Breathing Air Reels

Gen 3 breathing air reels are ideally suited for supplying breathing grade air to air fed respirators to better manage the supply hose making it safer for the operator particularly in confined work areas.

*Hose assemblies meet EN139 standard.

Lubrication Reels

Lubrication reels are the ideal solution for light duty oil and grease transfer applications.

Garden Reels

The garden reel is the perfect solution to keep your garden looking great. No more tangles or having to fight the hose every time you water the garden or wash the car. The reel comes complete with a 2-m side connection hose and inlet fitting.

Barrier Reels

Fitted with 20 metres of 50mm wide woven webbing (safety orange) the barrier reel is the ideal way to quickly & efficiently set up personnel safety barriers for areas that require regular guarding.



MODELS	I.D.		LENGTH		PRESSURE		CONNECTION		WEIGHT
	with hose	mm	inch	m	ft	Bar	PSI	inlet	

Breathing Air*

BD820-001	8	5/16	20	66	17	240	3/8	3/8	10
BD1020-001	10	3/8	20	66	17	240	3/8	3/8	12

Lubrication Reels

OL1015-001 (oil)	10	3/8	15	50	82	1200	3/8	3/8	12
OL1210-001 (oil)	12	1/2	10	33	82	1200	1/2	1/2	12
GR615-001 (grease)	6	1/4	15	50	344	5000	1/4	1/4	12

Garden Reels

G1218-001	12	1/2	18	60	10	150	1/2	1/2	12
-----------	----	-----	----	----	----	-----	-----	-----	----

Barrier Reel

MODELS	WEBBING WIDTH	WEBBING LENGTH	END FITTING	WEIGHT
BAR5020-001	50mm	20m	Sewn Loop	12

DIMENSIONS SG RANGE W 239 mm L 559 mm H 490 mm